

Subversive Femme



Subversive Femme



Subversive Femme



Subversive Femme

Keepsake

(Illustrated on Front Cover)

DESIGN No. 4243.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Materials Required : 4 skeins "Twin-Prufe" Shrinkproof 2-ply fingering wool, shade No. 2185 (Maize). 2 pairs Needles, Nos. 10 and 12. 1 Crochet Hook. Press Studs.

Measurements : Length from top of shoulder, 20 inches. Bust 32/34 inches.

NOTE :—For 36 inch bust, use No. 9 instead of No. 10 needles.

Tension : 15 sts. 2 inches. 18 rows 2 inches.

Back : Using No. 12 needles, cast on 100 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 10 needles, * p. twice into next st., p. 4, repeat from * to last 5 sts., p. twice into next st., p. 3, p. twice into last st. (121 sts.) Work as follows:

1st Row : K. 2, * k. 2 tog., p. 2, won., k. 1, wrn., p. 2, sl. 1, k. 1, psso., k. 3, repeat from * to last 11 sts., k. 2 tog., p. 2, won., k. 1, wrn., p. 2, sl. 1, k. 1, psso., k. 2.

2nd Row : P. 3, k. 2, * p. 3, k. 2, p. 5, k. 2, repeat from * to last 8 sts., p. 3, k. 2, p. 3.

Continued on page 6.

ABBREVIATIONS.

K. ..... knit
P. ..... purl
St. ..... stitch
Tog. ..... together
Sl. ..... slip
Wl. Fwd. ..... wool forward
PSSO. ..... pass slip stitch over
M. ..... make (by putting wool forward)
WRN. ..... wool round needle (to make a st.).
WON. ..... wool over needle (to make a st.).
DC. ..... double crochet
ST.ST. (stocking stitch) ; K. 1 row, p. 1 row alternately.
GARTER ST. ..... K. every row.
MOSS ST. With an even number of sts., work as follows :
1st Row : * k. 1, p. 1, repeat from * to end.
2nd Row : * p. 1, k. 1, repeat from * to end.
Repeat these 2 rows throughout.
With an uneven number of sts. work as follows : k. 1, * p. 1, k. 1, repeat from * to end.
Repeat this row throughout.



This year knit everything in the amazing new

Twin-Prufe

MOTHPROOF & SHRINKPROOF KNITTING WOOL

-an F. W. Hughes product now on sale throughout Australia

The First All-Australian Knitting Wool Guaranteed permanently mothproof.

New Styles for 1952—Your local Store or Newsagent has all the new Twin-Prufe Books, or you may send direct for free guides to latest wool styles to Knitting Book Dept., F. W. Hughes Pty. Ltd., 30 Grosvenor Street, Sydney.

If any difficulty is experienced in knitting the articles in this book, please communicate directly with F. W. Hughes Pty. Ltd., 30 Grosvenor Street, Sydney.

Subversive Forme

DESIGN No. 4243—*Continued from page 5.*

3rd Row : K. 1, * k. 2 tog., p. 2, (k. 1, wl. fwd.) twice, k. 1, p. 2, sl. 1, k. 1, psso., k. 1, repeat from * to end.

4th Row : P. 2, k. 2, * p. 5, k. 2, p. 3, k. 2, repeat from * to last 9 sts., p. 5, k. 2, p. 2.

5th Row : K. 2 tog., * p. 2, k. 2, wl. fwd., k. 1, wl. fwd., k. 2, p. 2, sl. 1, k. 2 tog., psso., repeat from * to last 11 sts., p. 2, k. 2, wl. fwd., k. 1, wl. fwd., k. 2, p. 2, k. 2 tog.

6th Row : P. 1, * k. 2, p. 7, k. 2, p. 1, repeat from * to end.

7th Row : K. 1, * wrn., p. 2, sl. 1, k. 1, psso., k. 3, k. 2 tog., p. 2, won., k. 1, repeat from * to end.

8th Row : Repeat 4th row.

9th Row : K. 1, * wl. fwd., k. 1, p. 2, sl. 1, k. 1, psso., k. 1, k. 2 tog., p. 2, k. 1, wl. fwd., k. 1, repeat from * to end.

10th Row : Repeat 2nd row.

11th Row : K. 1, * wl. fwd., k. 2, p. 2, sl. 1, k. 2 tog., psso., p. 2, k. 2, wl. fwd., k. 1, repeat from * to end.

12th Row : P. 4, * k. 2, p. 1, k. 2, p. 7, repeat from * to last 9 sts., k. 2, p. 1, k. 2, p. 4.

Repeat these 12 rows and when work measures 12½ inches, shape armholes by casting off 4 sts. at the beginning of the next 6 rows. (97 sts.). Decrease 1 st. (96 sts.). Work as follows :

1st Row : K. 6, * k. 2 tog., wl. fwd., k. 6, repeat from * to last 2 sts., k. 2.

2nd Row : P. 6, * k. 2 tog., wl. fwd., k. 2, p. 4, repeat from * to last 2 sts., p. 2.

Repeat these 2 rows and when armholes measure 7 inches, shape shoulders by casting off 10 sts. at the beginning of the next 6 rows. Cast off.

Front : Work the same as for back until armholes measure 4½ inches.

Next Row : Work 40 sts., (leave on a spare needle), cast off 16 sts., work 40 sts. Continue on last 40 sts. and k. 2 tog. at neck edge on the next 6 rows, then every 2nd row until decreased to 30 sts. When armhole measures 7 inches, shape shoulder by casting off 10 sts. at armhole edge every 2nd row 3 times. Join wool at neck edge and work other side to correspond.

Sleeves : Using No. 10 needles, cast on 88 sts. K. 4 rows (working 1st row into back of sts.). Work the 2 rows of yoke pattern twice, then k. 2 tog. each end of every 2nd row until decreased to 58 sts., then every row until decreased to 28 sts. Cast off.

Neckband : Join right shoulder seam. With right side of work towards you, using No. 12 needles, pick up and k. about 112 sts. around neck. Work in rib of k. 1, p. 1, for 1 inch. Cast off in ribbing.

To Make Up : Press with a warm iron and damp cloth. Sew up seams, leaving an opening on left shoulder. Sew in sleeves. Work 3 rows of DC. along back of shoulder opening and 1 row along front. Sew on press studs.

Sunny Acres

(*Illustrated on page 2*)

DESIGN No. 4286.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Materials Required : 6 skeins "Twin-Prufe" Shrinkproof 3-ply fingering wool, shade No. 2185 (Maize). 2 pairs Needles, Nos. 10 and 12. Press Studs.

Measurements : Length from top of shoulder, 20 inches. Bust 32/34 inches. Length of sleeve seam, 1 inch.

NOTE :—For 36 inch bust, use No. 9 instead of No. 10 needles.

Tension : 7 sts. 1 inch. 9 rows 1 inch.

Back : Using No. 12 needles, cast on 100 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 10 needles, increase 2 sts. and work as follows :

1st Row : * (k. 1, p. 1, k. 1, wl. fwd.) twice, k. 2 tog., repeat from * to last 6 sts., k. 1, p. 1, k. 1, wl. fwd., k. 1, p. 1, k. 1.

2nd Row : * p. 1, k. 1, p. 3, k. 1, p. 1, won., k. 2 tog., repeat from * to last 7 sts., p. 1, k. 1, p. 3, k. 1, p. 1.

3rd Row : * k. 1, p. 1, sl. 1, k. 2, psso., p. 1, k. 1, wl. fwd., k. 2 tog., repeat from * to last 7 sts., k. 1, p. 1, sl. 1, k. 2, psso., p. 1, k. 1.

4th Row : * p. 1, k. 1, p. 2, k. 1, p. 1, won., k. 2 tog., repeat from * to last 6 sts., p. 1, k. 1, p. 2, k. 1, p. 1.

Subversive Femme

These 4 rows form the pattern. Continue in pattern, increasing 1 st. each end of every 8th row until increased to 118 sts. When work measures 12½ inches, shape armholes by casting off 4 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 4 rows, then every 2nd row 4 times. When armholes measure 7 inches, shape shoulder by casting off 10 sts. at the beginning of the next 6 rows. Cast off.

Front : Work the same as for back until armholes measure 4¾ inches.

Next Row : Work 39 sts., (leave on a spare needle), cast off 16 sts., work 39 sts.

Continue on last 39 sts. and k. 2 tog. at neck edge of the next 5 rows, then every 2nd row until decreased to 30 sts. When armhole measures 7 inches, shape shoulder by casting off 10 sts. at armhole edge every 2nd row 3 times. Join wool at neck edge and work other side to correspond.

Sleeves : Using No. 10 needles, cast on 86 sts. Work pattern as for back, (working 1st row into back of sts.) for 1 inch. K. 2 tog. each end of every 2nd row until decreased to 58 sts., then every row until decreased to 28 sts. Cast off.

Neckband : Join shoulder seams, leaving an opening on left shoulder. With right side of work towards you, using No. 12 needles, pick up and k. about 112 sts. around neck. Work in rib of k. 1, p. 1, for 1 inch. Cast off in ribbing.

To Make Up : Press with a warm iron and damp cloth. Sew up seams. Sew in sleeves. Work 1 row of DC. around lower edge of sleeves, 1 row along front of shoulder opening and 2 rows along back. Sew on press studs.

Blithe

(*Illustrated on page* 3)

DESIGN No. 4247.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Materials Required : 7 skeins (short sleeves), 9 skeins (long sleeves) Gypsy wool, or "Twin-Prufe" Shrinkproof 3-ply fingering wool, shade No. 2359 (Horizon Green). 2 pairs Needles, Nos. 10 and 12. 6 Buttons.

Measurements : Length from top of shoulder, 20 inches. Bust 32/34 inches. Length of sleeve seam, 4½ inches.

NOTE :—For 36 inch bust, use No. 9 instead of No. 10 needles.

Tension : 7 sts. 1 inch. 9 rows 1 inch.

Back : Using No. 12 needles, cast on 100 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 10 needles and work as follows :

1st Row : K.

2nd Row : P.

3rd Row : K. 4, * (k. 1, wl. fwd., k. 2 tog.) 4 times, k. 8, repeat from * 3 times, (k. 1, wl. fwd., k. 2 tog.) 4 times, k. 4.

4th Row : P. 4, * (k. 1, wl. fwd., k. 2 tog.) 4 times, p. 8, repeat from * 3 times, (k. 1, wl. fwd., k. 2 tog.) 4 times, p. 4.

Repeat these 4 rows, increasing 1 st. each end of every 6th row (keeping increased sts. in st.st.) until increased to 114 sts. When work measures 12½ inches, shape armholes by casting off 3 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 4 rows, then every 2nd row 4 times. When armholes measure 7 inches, shape shoulders by casting off 10 sts. at the beginning of the next 6 rows. Cast off.

Left Front : Using No. 12 needles, cast on 63 sts. Work 1st row following into back of sts.

1st Row : (K. 1, p. 1) 28 times, moss st. 7.

2nd Row : Moss st. 7, (k. 1, p. 1) 28 times.

Repeat last 2 rows for 3½ inches. Change to No. 10 needles.

Next Row : K. to last 7 sts., moss st. 7.

Next Row : Moss st. 7, p. to end.

Next Row : K. 4, * (k. 1, wl. fwd., k. 2 tog.) 4 times, k. 8, repeat from * twice (k. 1, wl. fwd., k. 2 tog.) 4 times, moss st. 7.

Next Row : Moss st. 7, * (k. 1, wl. fwd., k. 2 tog.) 4 times, p. 8, repeat from * twice, (k. 1, wl. fwd., k. 2 tog.) 4 times, p. 4.

Repeat the last 4 rows, increasing 1 st. at side seam edge every 6th row until increased to 70 sts. When work measures 12½ inches, cast off 3 sts. at armhole edge, work to last 9 sts., k. 2 tog., moss st. 7.

Continue to decrease 1 st. at centre front (inside border) every 3rd row and at the same time, k. 2 tog. at armhole edge of the next 4 rows, then every 2nd row 4 times. Continue to decrease inside border, every 3rd row, until decreased to

Continued on page 8.

Subversive Comms

DESIGN No. 4247—*Continued from page 7.*

37 sts. When armhole measures 7 inches, shape shoulder by casting off 10 sts. at armhole edge every 2nd row 3 times. Work remaining 7 sts. in moss st. for 2¼ inches. Cast off.

Right Front : Using No. 12 needles, cast on 63 sts.

1st Row : Moss st. 7, (p. 1, k. 1) 28 times.

2nd Row : (P. 1, k. 1) 28 times, moss st. 7.

Repeat 1st and 2nd rows.

5th Row : Moss st. 4, cast off 3 sts., rib to end of row.

6th Row : Rib to last 4 sts., cast on 3 sts., moss st. 4.

Continue in rib with moss st. border, making another buttonhole 2 inches above first.

When work measures 3½ inches, change to No. 10 needles and work as follows :

Next Row : Moss st. 7, k. to end.

Next Row : P. to last 7 sts., moss st. 7.

Next Row : Moss st. 7, * (k. 1, wl. fwd., k. 2 tog.) 4 times, k. 8, repeat from * twice, (k. 1, wl. fwd., k. 2 tog.) 4 times, k. 4.

Next Row : P. 4, * (k. 1, wl. fwd., k. 2 tog.) 4 times, p. 8, repeat from * twice, (k. 1, wl. fwd., k. 2 tog.) 4 times, moss st. 7.

Repeat last 4 rows, making 4 more buttonholes as in basque 2 inches apart, and working shapings as for left front.

Short Sleeves : Using No. 12 needles, cast on 80 sts. Work in rib of k. 1, p. 1, for 1 inch (working 1st row into back of sts.). Change to No. 10 needles and work in pattern as for back (repeat from * twice instead of 3 times). Increase 1 st. each end of every 4th row until increased to 86 sts. When sleeve seam measures 4½ inches or required length, k. 2 tog. each end of every 2nd row until decreased to 56 sts., then every row until decreased to 26 sts. Cast off.

Long Sleeves : Using No. 12 needles, cast on 60 sts. Work in rib of k. 1, p. 1, for 3 inches (working 1st row into back of sts.). Change to No. 10 needles and work in pattern as for back (repeating from * once instead of 3 times) and increase 1 st. each end of every 8th row until increased to 86 sts. When sleeve seam measures 18 inches or required length, shape the top the same as for short sleeves.

To Make Up : Press with a warm iron and damp cloth. Sew up seams, sew in sleeves. Join borders at back of neck. Sew buttons on left front.

Tropicale

(*Illustrated on page 4*)

DESIGN No. 4300.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Materials Required : 5 skeins (short sleeves), 6 skeins (long sleeves) "Twin-Prufe" Shrink-proof 2-ply fingering wool, shade No. 2090 (Blue). 2 pairs Needles, Nos. 10 and 12. 1 Crochet Hook. Press Studs.

Measurements : Length from top of shoulder, 20 inches. Bust 32 34 inches. Length of sleeve seam, 5 inches.

NOTE :—For 36 inch bust, use No. 9 instead of No. 10 needles.

Pattern : A multiple of 16 sts., plus 3 extra sts

Tension : 7 sts. 1 inch. 9 rows 1 inch.

Back : Using No. 12 needles, cast on 100 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 10 needles, p. 10, * p. twice into next st., p. 5, repeat from * to end. (115 sts.). Work in following pattern :

1st Row : * k. 3, sl. 1, k. 1, psso., k. 5, won., (k. 2 tog., won.) 3 times, repeat from * to last 3 sts., k. 3.

2nd and alternate Rows : P.

3rd Row : * k. 3, sl. 1, k. 1, psso., k. 2, k. 2 tog., won., k. 1, (won., k. 2 tog.) 3 times, won., repeat from * to last 3 sts., k. 3.

5th Row : * k. 3, sl. 1, k. 1, psso., k. 2 tog., won., sl. 1, k. 1, psso., won., k. 1, (won., k. 2 tog.) 3 times, won., repeat from * to last 3 sts., k. 3.

7th Row : * k. 3, k. 2 tog., won., (sl. 1, k. 1, psso., won.) twice, k. 1, (won., k. 2 tog.) 3 times, repeat from * to last 3 sts., k. 3.

9th Row : * k. 4, won., (sl. 1, k. 1, psso., won.) 3 times, k. 1, won., k. 2 tog., won., sl. 1, k. 2 tog., psso., repeat from * to last 3 sts., k. 3.

11th Row : * k. 4, won., (sl. 1, k. 1, psso., won.) 3 times, k. 3, won., sl. 1, k. 2 tog., psso., repeat from * to last 3 sts., k. 3.

13th Row : * k. 4, won., (sl. 1, k. 1, psso., won.) 3 times, k. 3, sl. 1, k. 2 tog., psso., repeat from * to last 3 sts., k. 3.

Subversive Femme

15th Row : * k. 4, won., (sl. 1, k. 1, psso., won.) 3 times, k. 3, k. 2 tog., repeat from * to last 3 sts., k. 3.

17th Row : * k. 4, won., (sl. 1, k. 1, psso., won.) 3 times, k. 1, won., sl. 1, k. 1, psso., k. 2 tog., repeat from * to last 3 sts., k. 3.

19th Row : * k. 4, won., (sl. 1, k. 1, psso., won.) 3 times, k. 1, won., k. 2 tog., won., sl. 1, k. 1, psso., repeat from * to last 3 sts., k. 3.

21st Row : * k. 3, k. 2 tog., (sl. 1, k. 1, psso., won.) 3 times, k. 1, (won., k. 2 tog.) twice, won., repeat from * to last 3 sts., k. 3.

23rd Row : * k. 3, sl. 1, k. 2 tog., psso., won., sl. 1, k. 1, psso., (won., k. 2 tog.) 4 times, won., repeat from * to last 3 sts., k. 3.

25th Row : * k. 3, sl. 1, k. 2 tog., psso., won., k. 3, (won., k. 2 tog.) 3 times, won., repeat from * to last 3 sts., k. 3.

27th Row : * k. 3, won., k. 4, (k. 2 tog., won.) 4 times, repeat from * to last 3 sts., k. 3.

28th Row : P.

Repeat these 28 rows and when work measures 12½ inches, shape armholes by casting off 8 sts. at the beginning of the next 2 rows. Cast off 4 sts. at the beginning of the next 4 rows. When armholes measure 7 inches, shape shoulders by casting off 10 sts. at the beginning of the next 6 rows. Cast off loosely.

Front : Work the same as for back until armholes measure 5¾ inches.

Next Row : Work 38 sts. (leave on a spare needle), cast off 7 sts., work 38 sts.

Continue on last 38 sts. and k. 2 tog. at neck edge of the next 4 rows, then every 2nd row until decreased to 30 sts. When armhole measures 7 inches, shape shoulder by casting off 10 sts. at armhole edge every 2nd row 3 times. Join wool at neck edge and work other side to correspond.

Short Sleeves : Using No. 12 needles, cast on 74 sts. Work in rib of k. 1, p. 1, for 1½ inches (working 1st row into back of sts.). Change to No. 10 needles, p. 1 row, purling twice into every 8th st. (83 sts.). Work in pattern and when work measures 5 inches or required length, k. 2 tog. each end of every 2nd row until decreased to 53 sts., then every row until decreased to 23 sts. Cast off.

Long Sleeves : Using No. 12 needles, cast on 56 sts. Work in rib of k. 1, p. 1, for 3 inches (working 1st row into back of sts.). Change to No. 10 needles, p. 2, * p. twice into next st., p. 1, repeat from * to end. (83 sts.). Work in pattern and when sleeve seam measures 18 inches or required length, shape the top the same as for short sleeves.

Neckband : Join right shoulder seam. With right side of work towards you, using No. 12 needles, pick up and k. about 96 sts. around neck. P. 1 row. Work 6 rows st.st. Cast off. Fold neckband in half and stitch on to wrong side of work.

To Make Up : Press with a warm iron and damp cloth. Sew up seams, leaving an opening on left shoulder. Sew in sleeves. Work 3 rows of DC. along back of shoulder opening and 1 row along front. Sew on press studs.

Autumn Preview

(*Illustrated on page* 14)

DESIGN No. 4303.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Materials Required : 6 skeins (short sleeves), 8 skeins (long sleeves) "Twin-Prufe" Shrink-proof 3-ply fingering wool, shade No. 2185 (Maize). 1 pair No. 10 Needles. 1 set of 4 No. 12 Needles. 3 Small Buttons. 1 Crochet Hook.

Continued on page 10.

WASHING INSTRUCTIONS

The life of your garment depends on how carefully you follow our washing instructions. Have luke-warm suds thoroughly dissolved and ready. Next, cup garment in hands and squeeze suds through and through. Do not twist, wring or rub. Rinse three times in luke-warm water. Press out moisture by rolling in towel, then ease garment into shape and dry flat and away from excess heat, particularly pastel shades.

Subversive Femme

DESIGN No. 4303—*Continued from page 9.*

Measurements : Length from top of shoulder, 20 inches. Bust 32/34 inches. Length of sleeve seam, 4 inches.

NOTE :—For 36 inch bust, use No. 9 instead of No. 10 needles.

Tension : 7 sts. 1 inch. 9 rows 1 inch.

Back : Using No. 12 needles, cast on 100 sts. Work in rib of k. 2, p. 2, for 3½ inches (working 1st row into back of sts.). Change to No. 10 needles, p. 4, * p. twice into next st., p. 5, repeat from * to end. (116 sts.).

1st Row : K. 2, * k. 2 tog., m. 1, sl. 1, k. 1, psso., k. 2, repeat from * to end.

2nd Row : P. 3, * (p. 1, k. 1) into next st., p. 4, repeat from * to last 4 sts., (p. 1, k. 1) into next st., p. 3.

3rd Row : K. 1, * k. 2 tog., m. 1, k. 2, m. 1, sl. 1, k. 1, psso., repeat from * to last st., k. 1.

4th Row : P.

5th Row : K. 2, * m. 1, sl. 1, k. 1, psso., k. 2 tog., m. 1, k. 2, repeat from * to end.

6th Row : P.

7th Row : K. 1, * sl. 1, k. 1, leaving the loop on left hand needle, psso., k. 2 tog., taking same loop as before and the next st., m. 1, sl. 1, k. 1, leaving the loop on left hand needle, psso., k. 2 tog., taking the same loop as before and the next st., repeat from * to last st., k. 1.

8th Row : P. 3, * (p. 1, k. 1) into next st., p. 4, repeat from * to last 4 sts., (p. 1, k. 1) into next st., p. 3.

9th Row : K. 1, m. 1, * sl. 1, k. 1, psso., k. 2, k. 2 tog., m. 1, repeat from * to last st., k. 1.

10th Row : P. 6, * (p. 1, k. 1) into next st., p. 4, repeat from * to last 2 sts., p. 2.

11th Row : K. 2, * m. 1, sl. 1, k. 1, psso., k. 2 tog., m. 1, k. 2, repeat from * to end.

12th Row : P.

13th Row : K. 1, * k. 2 tog., m. 1, k. 2, m. 1, sl. 1, k. 1, psso., repeat from * to last st., k. 1.

14th Row : P.

15th Row : K. 1, m. 1, * (sl. 1, k. 1, leaving loop on left hand needle, psso., k. 2 tog., taking the same loop as before and the next st.) twice, m. 1, repeat from * to last st., k. 1.

16th Row : P. 6, * (p. 1, k. 1) into next st., p. 4, repeat from * to last 2 sts., p. 2.

These 16 rows form the pattern. Continue in pattern and when work measures 12½ inches, shape armholes by casting off 6 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows, then every 2nd row 3 times. When armholes measure 5 inches, work as follows :

Next Row : Work 40 sts., (leave on a spare needle), cast off 12 sts., work 40 sts.

Next Row : Work in pattern.

Next Row : Cast off 2 sts., work to end.

Repeat last 2 rows until decreased to 24 sts.

When armhole measures 7 inches, shape shoulder by casting off 12 sts. at armhole edge every 2nd row twice. Join wool at centre back and work other side to correspond.

Front : Work the same as for back until armholes measure 3 inches, then shape neck the same as for back.

Yoke : Join shoulder seams. With right side of work towards you, using 4 No. 12 needles, pick up and k. 40 sts. from centre back to shoulder, 116 sts. around front and 40 sts. from right shoulder to centre back, turn, do not work in rounds, but backwards and forwards on these 196 sts. Work in rib of k. 2, p. 2, for 2 inches.

Next Row : * k. 2 tog., p. 2 tog., repeat from * to end.

Cast off in ribbing.

Short Sleeves : Using No. 12 needles, cast on 80 sts. Work in rib of k. 2, p. 2, for 1 inch (working 1st row into back of sts.). Change to No. 10 needles, p. 8, * p. twice into next st., p. 5, repeat from * to end. (92 sts.).

Work in pattern as for back and when sleeve seam measures 4 inches, k. 2 tog. each end of every 2nd row until decreased to 62 sts., then every row until decreased to 32 sts. Cast off.

Long Sleeves : Using No. 12 needles, cast on 60 sts. Work in rib of k. 2, p. 2, for 3 inches (working 1st row into back of sts.). Change to No. 10 needles, p. twice into 1st 2 sts., * p. 1, p. twice into next st., repeat from * to last 2 sts., p. twice into each of these 2 sts. (92 sts.).

Work in pattern and when sleeve seam measures 18 inches or required length, shape top the same as for short sleeves.

To Make Up : Press with a warm iron and damp cloth. Sew up seams. Sew in sleeves. Work 1 row of DC. down back opening, making 3 loops on one side for buttonholes. Sew on buttons.

Subversive Femme

Season-Aire

(*Illustrated on page* 15)

DESIGN No. 4302.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Materials Required : 5 skeins (short sleeves), 6 skeins (long sleeves) "Twin-Prufe" Shrink-proof 2-ply fingering wool, shade No. 2090 (Blue). 2 pairs Needles, Nos. 9 and 12. 1 Crochet Hook. Press Studs.

Measurements : Length from top of shoulder, 20 inches. Bust 32/34 inches. Length of sleeve seam, 4 inches.

NOTE :—For 36 inch bust, use No. 8 instead of No. 9 needles.

Tension : 8 sts. 1 inch. 9 rows 1 inch.

Back : Using No. 12 needles, cast on 104 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 9 needles, p. 6, * p. twice into next st., p. 3, repeat from * to last 6 sts., p. 6. (127 sts.). Work in following pattern :

1st Row : K. 1, * p. 1, wrn., p. 1, k. 1, repeat from * to end.

2nd Row : P. 1, * sl. 1, k. 1 into next st. leaving the loop on left-hand needle, psso., k. 2 tog. using this loop again and next st., p. 1, repeat from * to end.

3rd Row : Repeat 1st row.

4th Row : P. 1, * k. 3, p. 1, repeat from * to end.

5th Row : K. 1, * p. 3, k. 1, repeat from * to end.

6th Row : P. 1, * sl. 1, k. 2 tog., psso., p. 1, repeat from * to end.

7th Row : K. 1, * (p. 1, wrn., p. 1) into next st., k. 1, repeat from * to end.

Repeat from 2nd to 7th rows inclusive. These last 6 rows form the pattern.

Continue in pattern and when work measures 12½ inches, shape armholes by casting off 6 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows, then every 2nd row 3 times. When armholes measure 7 inches, shape shoulder by casting off 11 sts. at the beginning of the next 6 rows. Cast off.

Front : Work the same as for back until armholes measure 4¾ inches.

Next Row : Work 42 sts., (leave on a spare needle), cast off 19 sts., work 42 sts.

Continue on these 42 sts. and k. 2 tog. at neck edge of the next 5 rows, then every 2nd row until decreased to 33 sts. When armhole measures 7 inches, shape shoulder by casting off 11 sts. at armhole edge every 2nd row 3 times. Join wool at neck edge and work other side to correspond.

Short Sleeves : Using No. 12 needles, cast on 84 sts. Work in rib of k. 1, p. 1, for 1 inch (working 1st row into back of sts.). Change to No. 9 needles, p. 4, * p. twice into next st., p. 3, repeat from * to last 4 sts., p. 4. (103 sts.).

Work in pattern as for back. When sleeve seam measures 4 inches, k. 2 tog. each end of every 2nd row until decreased to 71 sts., then every row until decreased to 31 sts. Cast off.

Long Sleeves : Using No. 12 needles, cast on 64 sts. Work in rib of k. 1, p. 1, for 3 inches (working 1st row into back of sts.). Change to No. 9 needles, p. 1 row, purling twice into every 8th st. to last 8 sts., (p. 3, p. twice into next st.) twice. (73 sts.).

Work in pattern as for back, increasing 1 st. each end of every 6th row until increased to 103 sts. When sleeve seam measures 18 inches or required length, shape top the same as for short sleeves.

Neckband : Join shoulder seams, leaving an opening on left shoulder. With right side of work towards you, using No. 12 needles, pick up and k. about 114 sts. around neck. Work in rib of k. 1, p. 1, for 1 inch. Cast off in ribbing.

To Make Up : Press with a warm iron and damp cloth. Sew up seams. Sew in sleeves. Work 1 row of DC. along front of shoulder opening and 2 rows along back. Sew on press studs.

Spring Magic

(*Illustrated on Back Cover*)

DESIGN No. 4295.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Continued on page 12.

Subversive Femme

DESIGN No. 4295—*Continued from page* 11.

Materials Required : 7 skeins (short sleeves), 9 skeins (long sleeves) "Twin-Prufe" Shrink-proof 3-ply fingering wool, shade No. 2195 (Maize). 2 pairs Needles, Nos. 10 and 12. 16 Small Buttons. 1 Press Stud.

Measurements : Length from top of shoulder, 20 inches. Bust 32/34 inches. Length of sleeve seam, 3 inches.

NOTE :—For 36 inch bust, use No. 9 instead of No. 10 needles.

Tension : 7 sts. 1 inch. 9 rows 1 inch.

Back : Using No. 12 needles, cast on 104 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 10 needles, increase 1 st. and work as follows :

1st Row : K. 4, * wl. fwd., sl. 1, k. 1, psso., k. 6, repeat from * to last 5 sts., wl. fwd., sl. 1, k. 1, psso., k. 3.

2nd and alternate Rows : P.

3rd Row : K. 2, * k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, psso., k. 3, repeat from * to last 7 sts., k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, psso., k. 2.

5th Row : K. 1, * k. 2 tog., wl. fwd., k. 3, wl. fwd., sl. 1, k. 1, psso., k. 1, repeat from * to last 8 sts., k. 2 tog., wl. fwd., k. 3, wl. fwd., sl. 1, k. 1, psso., k. 1.

7th Row : K.

8th Row : P.

Repeat 7th and 8th row 3 times.

These 14 rows form the pattern. Continue in pattern, increasing 1 st. each end of the next and every 6th row following until increased to 117 sts. When work measures 12½ inches, shape armholes by casting off 4 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 4 rows, then every 2nd row 4 times. When armholes measure 7 inches, shape shoulders by casting off 10 sts. at the beginning of the next 6 rows. Cast off.

Left Front : Using No. 12 needles, cast on 61 sts.

1st Row : K. 1, (p. 1, k. 1) 24 times, k. 12.

2nd Row : K. 12, (p. 1, k. 1) 24 times, p. 1.

Repeat these 2 rows until work measures 3½ inches (working 1st row into back of sts.). Change to No. 10 needles and work 49 sts. in pattern, keeping the 12 border sts. in garter st. Increase 1 st. at side seam edge of the 15th and every 6th row following until increased to 67 sts. When work measures 12½ inches, cast off 4 sts. at armhole edge of the next row. K. 2 tog. at armhole edge of the next 4 rows, then every 2nd row 4 times. When armhole measures 4¾ inches, cast off 18 sts. at neck edge of the next row. K. 2 tog. at neck edge every row until decreased to 30 sts. When armhole measures 7 inches, shape shoulder by casting off 10 sts. at armhole edge every 2nd row 3 times.

Right Front : Work to correspond with left side, working shapings and border at opposite ends and making buttonholes as follows : 1st set being ½ inch from lower edge and 7 more 2¼ inches apart.

Buttonholes—1st Row : K. 2, cast off 2 sts., k. 4, cast off 2 sts., k. 2, work to end.

2nd Row : Work to last 8 sts., k. 2, cast on 2 sts., k. 4, cast on 2 sts., k. 2.

Short Sleeves : Using No. 12 needles, cast on 80 sts. Work in rib of k. 1, p. 1, for 1 inch (working 1st row into back of sts.). Change to No. 10 needles, increase 1 st. and work in pattern as for back, increasing 1 st. each end of every 4th row until increased to 87 sts. When sleeve seam measures 3 inches, k. 2 tog. each end of every 2nd row until decreased to 57 sts., then every row until decreased to 27 sts. Cast off.

Long Sleeves : Using No. 12 needles, cast on 56 sts. Work in rib of k. 1, p. 1, for 3 inches (working 1st row into back of sts.). Change to No. 10 needles, increase 1 st. and work in pattern, increasing 1 st. each end of every 6th row until increased to 87 sts. When sleeve seam measures 18 inches or required length, shape top the same as for short sleeves.

Tie : Using No. 10 needles, cast on 2 sts. Work in garter st., increasing 1 st. each end of every row until increased to 6 sts. Continue in garter st. until work measures 30 inches. K. 2 tog. each end of every row until decreased to 2 sts. Cast off.

To Make Up : Press with a warm iron and damp cloth. Sew up seams, sew in sleeves. Sew buttons on left front and a press stud at neck edge. Sew tie around neck to within 1 inch of each centre front, and tie into a bow.

Subversive Femme

Published with all rights reserved by F. W. Hughes Pty. Ltd., 30 Grosvenor Street, Sydney.
Wholly set up and printed in Australia by W. T. Baker & Co. Pty. Ltd., 190 York Street North, Sydney.

Summer Style

DESIGN No. 4291.

Warning : The knitting instructions in this book have been worked out by experts using F. W. Hughes knitting wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

Materials Required : 4 skeins "Twin-Prufe" Shrinkproof 2-ply fingering wool, shade No. 2360 (Beige). 2 pairs Needles, Nos. 10 and 12. Press Studs. 1 Crochet Hook.

Measurements : Length from top of shoulder, 20 inches. Bust 32/34 inches.

NOTE :—For 36 inch bust, use No. 9 instead of No. 10 needles.

Tension : 7 sts. 1 inch. 9 rows 1 inch.

Back : Using No. 12 needles, cast on 104 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 10 needles, p. 1 row, purling twice into every 8th st. (117 sts.). Work as follows :

1st Row : K.

2nd Row : P.

3rd Row : * k. 1, m. 1, k. 2 tog., repeat from * to end.

4th Row : Repeat 3rd row.



These 4 rows complete the pattern. Continue in pattern and when work measures 12½ inches, cast on 10 sts. at the beginning of the next 2 rows. Continue in pattern, keeping the 10 cast-on sts. in rib of k. 1, p. 1, and when armholes measure 7 inches, shape shoulders by casting off 14 sts. at the beginning of the next 2 rows. Cast off 12 sts. at the beginning of the next 6 rows. Cast off.

Front : Work the same as for back until armholes measure 4¾ inches.

Next Row : Work 58 sts. (leave on a spare needle), cast off 21 sts., work 58 sts.

Continue on last 58 sts., and k. 2 tog. at neck edge of the next 4 rows, then every 2nd row until decreased to 50 sts. When armhole measures 7 inches, shape shoulder by casting off 14 sts. at armhole edge of the next row and 12 sts. at armhole edge every 2nd row 3 times. Join wool at centre front and work other side to correspond.

Neckband : Join shoulder seams, leaving an opening on left side. With right side of work towards you, using No. 12 needles, pick up and k. about 112 sts. around neck. Work in rib of k. 1, p. 1, for 1 inch. Cast off in ribbing.

To Make Up : Press with a warm iron and damp cloth. Sew up seams, work 1 row of DC. along front of shoulder opening and 2 rows along back. Sew on press studs.

Subversive Femme



Subversive Femme



Subversive Femme



Subversive Femme